




HASIL PENGAMATAN

No	Identifikasi	Gambar
1	<u>Treponema pallidum</u> mikroskopik : Bentuk : spiral halus Susunan : Tunggal warna : transparan Sifat : - metode : mikroskopik medan gelap Bergerak sangat aktif	 mikroskopik medan gelap
2	<u>Diagnosis</u> ↳ mikroskop lapangan gelap ↳ Reaksi serologi a. Tes nontreponemal bersifat nonspesifik - RPR (rapid plasma reagin) b. Tes treponemal deteksi Ab thap treponema dim serum penderita - TPHA (treponema pallidum Haemagglutination)	 metode steiner silver stain
3	<u>Gardnerella vaginalis</u> mikroskopik : Bentuk : kokobaki Susunan : Tunggal warna : ungu / merah Sifat : Gram variable dinding tipis metode : Pewarnaan Gram non motil, anaerob fakultatif, terdapat clue cells	

4	kultur agar darah - diameter koloni 0.3 - 0.5 mm setelah 48 jam inkubasi - β hemolisis (proses lisis sempurna)	 kultur agar darah
5		
6	<u>Chlamydia Trachomatis</u> - Bakteri intraseluler obligat - Ukuran 0.2 - 1 μ - hanya berkembang pada sel eukariotik Diagnosis : - Pemeriksaan giemsa - Direct Fluorescence assay - Enzim Immuno assay	 envelope 2 lipid bilayers Immunofluorescent staining of inclusion body
7	Isolation of Chlamydia is possible by yolk-sac inoculation method and tissue culture in McCoy cells (synovial carcinoma cell line) warna coklat tua menunjukkan adanya chlamidia trachomatis inkubasi 40-72 jam	 kultur (McCoy cells)